

# Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

# U.S. Department of Labor

Occupational Safety and Health  
Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072



IDENTITY (As Used on Label and List) Vehicle Rust Proofing	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

## Section I

Manufacturer's Name The Oil Paint Company	Emergency Telephone Number 585-924-8070
Address ( <i>Number, Street, City, State, and ZIP Code</i> ) 7710 Victor-Mendon Road Victor, NY 14564	Telephone Number for Information 585-924-8070
	Date Prepared March 31, 2014
	Signature of Preparer ( <i>optional</i> )

## Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	%( <i>optional</i> )
None				

## Section III – Physical/Chemical Characteristics

Boiling Point	Not Determined	Specific Gravity (H <sub>2</sub> O = 1)	Not Determined
---------------	----------------	---	----------------

Vapor Pressure (mm Hg)	Not Determined	Melting Point	Not Determined
Vapor Density (AIR = 1)	Not Determined	Evaporation Rate (Butyl Acetate = 1)	Not Determined
Solubility in Water Linseed oil will only emulsify in water. Low water solubility <1 g/l.			
Appearance and Odor Black liquid with characteristic linseed oil odor.			

#### Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) Not Determined	Flammable Limits Not Determined	LEL Not Determined	UEL Not Determined
Extinguishing Media Foam, carbon dioxide, powder, or water spray depending on what is burning.			
Special Fire Fighting Procedures			
None			
Unusual Fire and Explosion Hazards			
Rags soaked with linseed oil can self-ignite. Soak in water and dispose of.			

(Reproduce locally)

OSHA 174, Sept. 1985

#### Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	Do not store above normal room temperature.
Incompatibility ( <i>Materials to Avoid</i> ) Strong acids, bases, and oxidizing agents.			
Hazardous Decomposition or Byproducts None			

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

## Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? Not relevant	Skin? No effects	Ingestion? Mild laxative
Health Hazards ( <i>Acute and Chronic</i> )			
None			
Carcinogenicity:	NTP? No	IARC Monographs? No	OSHA Regulated? No
None			
Signs and Symptoms of Exposure			
None			
Medical Conditions Generally Aggravated by Exposure			
None			
Emergency and First Aid Procedures			
Inhalation – Not relevant, except when spraying. If irritation occurs, move to fresh air and rest.			
Skin contact – wash with water and linseed oil soap.			
Eye contact – remove contact lenses. Rinse eyes for a few minutes. If symptoms persist, seek medical assistance.			
Ingestion – Drink copious amounts of milk. Product is a laxative.			

## Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

The product is biodegradable. Small amounts can be rinsed with water. Large spills can be contained with sand or other inert absorbent.

Waste Disposal Method

Recycle empty plastic container.

Precautions to Be taken in Handling and Storing

Do not store above normal room temperature. Store out of reach of children and away from food.

Other Precautions

Prevent large spills from entering sewage system.  
Rags soaked with linseed oil can self-ignite. Soak in water and dispose.

## Section VIII - Control Measures

Respiratory Protection (*Specify Type*)

None

Ventilation

Local Exhaust

Special

None

None

Mechanical (*General*)

Other

None

None

Protective Gloves

Eye Protection

None

None

Other Protective Clothing or Equipment

None

Work/Hygienic Practices

None

\* U.S.G.P.O.: 1986 - 491 - 529/45775